

GPO1: APO1, N155, N180

Version 1 Revision Date 12/27/2017 Print Date 1/7/2016

SECTION 1: IDENTIFICATION

Product Names: APO1, N155, N180

Other/ Generic Names: Glass Polyester Laminate

Manufacturer or supplier's details

Company The Gund Company, Inc.

2121 Walton Road St. Louis, MO 63114

Telephone (314) 423-5200

Visit our website www.thegundcompany.com
Email address SDS@thegundcompany.com

Emergency Telephone (314) 423-9009

Recommended use of the chemical and restrictions on use

Recommended use General usage laminate for electrical applications

Restrictions on use Refer to Section 15 for any restrictions that may apply

SECTION 2: HAZARDS IDENTIFICATION

When machined or cut and dust is formed these apply

GHS Classification

Skin corrosion/irritation: Category 3

Skin sensitization: Category 1/1A/1B

Respiratory sensitization: Category 1/1A/1B

Eye sensitization: Category 2B

GHS Label element

Hazard pictograms:





Signal word: Warning, danger



GPO1: APO1, N155, N180

Version 1 Revision Date 1/11/2016 Print Date 1/11/2016

Hazard statements: No hazards are associated with this product as shipped.

Hazards are associated with product only after further processing (machining, punching) or after thermal

decomposition.

H317 May cause an allergic skin reaction.

Precautionary statements: **Prevention:**

P261 Avoid breathing dust/fume/gas/mist/vapors/ spray.

P271 Use in a well-ventilated area. P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P333 + P313 If skin irritation or rash occurs: Get medical

advice/attention.

P337 + P313: If eye irritation persists: Get medical

advice/attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/container to an approved waste

disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

| Component | CAS-No. | Concentration (%) |
|------------------------------------|---------|-------------------|
| N/A-This product consists of cured | | Proprietary |
| polyester with glass fiber and | | |
| mineral fibers. | | |

SECTION 4: FIRST AID MEASURES

For dust generated from further processing or fumes generated from thermal decomposition:

EYES: Flush eyes with water as precaution, remove contact lenses if applicable. If irritation persists, seek

medical attention.

SKIN: Should irritation occur, rinse with water. If skin irritation persists, consult physician. Remove

contaminated clothing and wash before reuse.



GPO1: APO1, N155, N180

Version 1 Revision Date 1/11/2016 Print Date 1/11/2016

INGESTION: If swallowed, do not induce vomiting. Never give anything by mouth to a victim who is unconscious

or is having convulsions. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration.

INHALATION: No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If

exposed to excessive levels of dust or fumes, remove to fresh air and get medical attention if cough or

other symptoms develop.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE PROPERTIES: Product is not flammable, but small chips and fines from

processing may produce class ST-1 combustible dust.

EXTINGUISHING MEDIA: Dry chemical, CO2, water spray or regular foam. Do not

use a solid water stream as it may scatter and spread fire.

SPECIAL FIRE FIGHTING PROCEDURES: Firefighters should wear full protective clothing,

including self-contained breathing

apparatus.

HAZARDOU COMBUSTION PRODUCTS: Extreme heat and fire may result in dense smoke, carbon

dioxide (CO₂), oxides of nitrogen, and low molecular weight organic species whose composition and toxicity

has not been determined.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Sweep up or gather material and place in an appropriate container.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Use care when handling, and store away from heat, sparks, and flame. Store

away from materials stated in section 10.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



GPO1: APO1, N155, N180

Version 1 Revision Date 1/11/2016 Print Date 1/11/2016

VENTILATION: Local exhaust ventilation if significant amounts of dust are generated.

RESPIRATORY PROTECTION: None should be needed during normal handling. If significant

amounts of dust are generated during processing then appropriate

respiratory protection may be necessary.

EYE PROTECTION: Safety glasses, preferably with side shields should be worn with normal

handling.

SKIN PROTECTION: Regular clothing that covers skin, wash clothing before reuse

Exposure Guidelines:

| Ingredient Name | CAS# | CGIH TLV | OSHA PEL |
|--------------------|--------------|----------|----------|
| Fibrous Glass Dust | (65997-17-3) | 10 mg/m³ | None |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Various colored sheets and shapes

ODOR: None.

MELTING POINT: Not Determined.

SOLUBILITY IN WATER: <1

PERCENT SOLIDS BY WEIGHT: 100% estimated.

SPECIFIC GRAVITY: 1.8-2.0 g/cc

SECTION 10: STABILITY AND REACTIVITY

STABILITY: This product is considered stable.

CONDITIONS TO AVOID (STABILITY): Do not store near strong bases or acids or strong oxidizing or

reducing agents, Avoid generating excessive amounts of

airborne dust or large accumulations of dust.

INCOMPATIBILITY (MATERIAL TO AVOID): This material may decompose or become damaged in the

presence of strong acids or bases or strong oxidizing or

reducing agents.

CONDITIONS TO AVOID (POLYMERIZATION): Thermal decomposition may produce dense smoke, oxides

of carbon, nitrogen, and sulfur.

Version 1



Print Date 1/11/2016

GPO1: APO1, N155, N180

| VEISION | THIR Bute 17 1172010 |
|---|--|
| SECTION 11: TOXICOLOGICAL INFORMATION | |
| TOXICOLOGICAL INFORMATION: | In its cured form, glass polyester laminates are non-toxic. |
| SECTION 12: ECOLOGICAL INFORMATION | |
| ECOLOGICAL INFORMATION: | In its cured form, glass polyester laminates are non-toxic. |
| SECTION 13: DISPOSAL CONSIDERATIONS | |
| WASTE DISPOSAL METHOD: | Dispose in accordance with all applicable regulations. |
| SECTION 14: TRANSPORT INFORMATION | |
| U.S. DEPARTMENT OF TRANSPORTATION (DOT): | Not regulated as a dangerous good. |
| GENERAL (IMDG, IATA, TDG): | Not regulated as a dangerous good. |
| SECTION 15: REGULATORY INFORMATION | |
| U.S. FEDERAL REGULATIONS TSCA (TOXIC SUBSTANCE CONTROL ACT): | All substances listed on inventory. |
| SARA TITLE III (SUPERFUND AMENDMENTS AND I | REAUTHORIZATION ACT): |
| 311/312 HAZARD CATEGORIES: | Not hazardous as supplied, in use: Chronic Hazard. |
| 313 REPORTABLE INGREDIENTS: | Up to 2.2% zinc compounds from black, grey, and tan pigmented product. |
| OSHA Hazard Communication Categories | This product is not listed and does not contain chemicals |

Revision Date 1/11/2016

STATE REGULATIONS: Materials known to the State of California to cause cancer or reproductive toxicity: This

product poses no significant risk to persons exposed during normal use as defined by the

listed in the State of California to cause cancer or

California Safe Drinking Water and Toxics Enforcement Act (Proposition 65).

reproductive toxicity.

INTERNATIONAL REGULATIONS: As an article, the product does not need to be labeled in accordance with EC-

directives or respective national laws.



GPO1: APO1, N155, N180

Version 1 Revision Date 1/11/2016 Print Date 1/11/2016

This product is REACH and RoHS compliant.

SECTION 16: OTHER INFORMATION

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. Final

determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards

that exist