



THE GUND COMPANY

Manufacturers and fabricators of engineered material solutions

G-Flex™ Meta-Aramid Paper

G-Flex™ is The Gund Company's brand of Meta-Aramid Paper. The Gund Company has used its broad engineering and application knowledge along with extensive testing and global relationships to bring our customers the G-Flex™ Meta-Aramid Paper.

G-Flex™ Meta-Aramid paper YT510 is manufactured from 100% aramid fibers. It carries a Temperature Index (TI) of 210°C, a VTM-O Flame Rating, and full UL approval (File #: E521153). This paper offers high inherent dielectric strength, mechanical toughness, flexibility, and resilience. Applications for G-Flex™ include stator slot liners, phase insulations, coil wrap, conductor wrap, and other insulation applications for the electrical industry.

G-Flex™ Meta Aramid Paper Benefits

- **Heat Resistance:** G-Flex™ Meta-Aramid paper has long-lasting thermal stability. It can be used for many hours at high temperatures while maintaining excellent dimensional stability. It will not embrittle, soften or melt when it is exposed temporarily at high temperatures of 300°C.
- **Flame Resistance:** It is inherently flame resistant. It does not self-burn or melt in the room air, no combustion-supporting, and has the property of self-extinguishing.
- **Electrical Insulation:** The meta-aramid fiber has very good electrical insulation properties. The dielectric strength of meta-aramid paper more than 20kv/mm.
- **Chemical Stability:** Meta-Aramid fiber has a very stable chemical structure. It is resistant to most strong inorganic acid and to alkalis at room temperature.
- **Underwriters Laboratories (UL) recognized** as a 210°C insulation.
- Sold directly from The Gund Company and **readily available in 7 locations in 4 countries.**
- G-Flex™ Meta Aramid paper from The Gund Company is a **UL certified product: File # E521153**
- **Excellent Dielectric Breakdown strength.**
- Additional thicknesses are available upon request.

Common Applications for G-Flex™ Meta-Aramid Papers

- Stator Slot Liners
- Coil Wraps
- Formed Slot liners
- Formed Top Sticks
- Wire Wraps
- Slit into Tape Widths
- Phase Insulation
- Pole Collars
- Laminate Insulation



Item:	G-Flex Meta-Aramid Paper YT510
Description:	G-Flex YT510 is a group of insulation aramid papers that offer high dielectric strength, mechanical toughness, flexibility and resilience. G-Flex YT510 available in thicknesses ranging from 0.05 mm to 0.76 mm (2 mil to 30 mil).
Applications:	G-Flex YT510 is a form of aramid paper that is widely used in a majority of electrical equipment applications. G-Flex YT510 can be used in almost any electrical products where electrical insulation sheet form is called out by the designers.
Benefits:	The G-Flex YT510 exhibits exception electrical, mechanical and thermal properties comparable to all alternatives in the market today. The table below shows the typical data for major properties of electrical, mechanical and thermal by standard thickness.
UL File #:	E521153

YT510 Typical Data										
Standard Thickness	mil	2	3	5	7	10	12	15	20	30
	mm	0.05	0.08	0.13	0.18	0.25	0.3	0.38	0.51	0.76
Base Weight	g/m ²	41.5	63	116	170	252	291	376	510	710
Density	g/cc	0.79	0.8	0.9	0.94	0.99	1	0.99	1	0.93
Tensile Strength N/cm	MD	41	66	130	200	290	340	420	500	650
	CD	17	29	60	75	120	155	250	345	450
Elongation %	MD	7.5	9.5	10.5	11.5	11.5	10.5	12	13	13
	CD	7	9.5	11.5	12.5	13.5	10.5	13	13	12
Tear Strength N	MD	0.65	1.05	2.2	3.5	5	6.5	10	13	N/A
	CD	1.1	2.05	3.8	4.8	6	8	13.5	16	N/A
300°C Shrinkage %	MD	3.5	3.5	3	3	3	3	3	3	3
	CD	3	3	2.5	2.5	2.5	2.5	2.5	2	2
BDV	kV	0.81	1.25	2.7	3.9	6.3	6.4	9	8	13.5
Dielectric Strength	V/mil	406	406	508	533	635	560	580	533	482
	kV/mm	16	16	20	21	25	22	23	21	18