

# SAFETY DATA SHEET



## U205

Version 2

Revision Date 12/14/2020

### SECTION 1: IDENTIFICATION

|  |  |
|--|--|
| Product Name   | U205   |
| Other/Generic Name                                   | Glass Polyester Laminate   |
| <b>Manufacturer or supplier's details</b><br>Company | The Gund Company, Inc.<br>2121 Walton Road<br>St. Louis, MO 63114  |
| Telephone  | (314) 423-5200   |
| Visit our website                                    | <a href="http://www.thegundcompany.com">www.thegundcompany.com</a> |
| Email address  | <a href="mailto:SDS@thegundcompany.com">SDS@thegundcompany.com</a> |
| Emergency Telephone                                  | (314)423-5200  |

#### Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use Refer to Section 15 for any restrictions that may apply

### SECTION 2: HAZARDS IDENTIFICATION

**When machined or cut, dust is formed and the following apply:**

#### GHS Classification

|                            |                  |
|----------------------------|------------------|
| Skin corrosion/irritation: | Category 3       |
| Skin sensitization:        | Category 1/1A/1B |
| Respiratory sensitization: | Category 1/1A/1B |
| Eye sensitization:         | Category 2B      |

#### GHS Label element

Hazard pictograms :



Signal word : Warning, Danger

Hazard statements : **Not applicable for product as shipped.** For dust generated from further processing or fumes from thermal decomposition:

# SAFETY DATA SHEET



**U205**

Version 1

Revision Date 1/4/2018

Print Date 1/11/2016

H316 Causes mild skin irritation  
H317 May cause an allergic reaction to skin  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements :

**Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

P271 Use in a well-ventilated area.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P342 + P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

| Component   | CAS-No. | Concentration (%) |
|---|---------|-------------------|
| N/A- This product consists of cured polyester with glass and mineral fillers. |         | Proprietary       |

---

## SECTION 4: FIRST AID MEASURES

General advice

Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance  
Do not leave the victim unattended

In case of eye contact

Flush eyes with water as precaution.  
Remove contact lenses.  
Protect unharmed eye.

# SAFETY DATA SHEET



## U205

Version 1

Revision Date 1/4/2018

Print Date 1/11/2016

Keep eye wide open while rinsing.  
If irritation persists, seek medical attention.

SKIN: Product is not expected to be hazardous by skin contact. Should irritation occur, rinse with water.

INGESTION: If swallowed, do not induce vomiting. Never give anything by mouth to a victim who is unconscious or is having convulsions. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.

If inhaled No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dust or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: treat symptomatically.

---

### SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE PROPERTIES: May burn, but does not readily ignite

EXTINGUISHING MEDIA: Water preferred, may use foam, CO<sub>2</sub>

SPECIAL FIRE FIGHTING PROCEDURES: Firefighters should wear full protective clothing, including self-contained breathing apparatus.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce oxides of carbon and nitrogen.

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Sweep up or gather material and place in an appropriate container.

---

### SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: No special precautions..

---

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

# SAFETY DATA SHEET



## U205

Version 1

Revision Date 1/4/2018

Print Date 1/11/2016

VENTILATION: No specific requirements other than to control dust when machining.

RESPIRATORY PROTECTION: None should be needed during normal handling. Use dust mask when machining.

EYE PROTECTION: Safety glasses, preferably with side shields should be worn with normal handling.

SKIN PROTECTION: Glass fiber dust is a contact irritant; exposed skin may require protection.

Exposure Guidelines:

| Ingredient Name    | CAS#         | CGIH TLV             | OSHA PEL |
|--------------------|--------------|----------------------|----------|
| Fibrous Glass Dust | (65997-17-3) | 10 mg/m <sup>3</sup> | None     |

---

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

APPEARANCE: Solid flat sheet. Red or other colors.

ODOR: Slight sweet odor when machined

MELTING POINT: N/A

SOLUBILITY IN WATER: Insoluble.

PERCENT SOLIDS BY WEIGHT: 100% estimated.

SPECIFIC GRAVITY (H<sub>2</sub>O=1): 1.75-1.8 g/cc

---

### SECTION 10: STABILITY AND REACTIVITY

---

STABILITY: Stable.

CONDITIONS TO AVOID (STABILITY): None.

INCOMPATIBILITY (MATERIAL TO AVOID): None.

CONDITIONS TO AVOID (POLYMERIZATION): Will not occur.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

---

TOXICOLOGICAL INFORMATION: In it's cured form, glass polyester laminates are non-toxic.

# SAFETY DATA SHEET



## U205

Version 1

Revision Date 1/4/2018

Print Date 1/11/2016

---

### SECTION 12: ECOLOGICAL INFORMATION

---

ECOLOGICAL INFORMATION: it's cured form, glass polyester laminates are non-toxic.

---

### SECTION 13: DISPOSAL CONSIDERATIONS

---

WASTE DISPOSAL METHOD: Dispose in accordance with all applicable regulations.

---

### SECTION 14: TRANSPORT INFORMATION

---

U.S. DEPARTMENT OF TRANSPORTATION (DOT): Not regulated as a dangerous good.

GENERAL: Not regulated as a dangerous good.

---

### SECTION 15: REGULATORY INFORMATION

---

#### U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): All substances listed on inventory.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

311/312 HAZARD CATEGORIES: None.

313 REPORTABLE INGREDIENTS: No.

STATE REGULATIONS: Materials known to the State of California to cause cancer or reproductive toxicity: This product poses no significant risk to persons exposed during normal use as defined by the California Safe Drinking Water and Toxics Enforcement Act (Proposition 65).

INTERNATIONAL REGULATIONS: As an article, the product does not need to be labeled in accordance with EC-directives or respective national laws.

This product is REACH and RoHS compliant.

---

### SECTION 16: OTHER INFORMATION

---

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.