

# SAFETY DATA SHEET



## NAD11 Cement Board

Version 1

Revision Date 07/15/2024

Print Date 07/15/2024

---

### SECTION 1: IDENTIFICATION

Product Names: NAD11 Cement Board

Other / Generic Names: Cement Board

#### Manufacturer or supplier's details

Company: The Gund Company, Inc.  
2121 Walton Road  
St. Louis, MO 63114  
Telephone: (314) 423-5200  
Visit Our Website: [www.thegundcompany.com](http://www.thegundcompany.com)  
Email Address: [info@thegundcompany.com](mailto:info@thegundcompany.com)  
Emergency Telephone: (262) 522-7990

#### Recommended use of the chemical and restrictions on use

Recommended use: Heat-resisting asbestos-free cement board with excellent electrical properties; suitable for applications requiring continuous operation in temperatures up to 932°F (500°C).

Restrictions on use: See *Section 15* for restrictions.

---

### SECTION 2: HAZARDS IDENTIFICATION

#### GHS Classification

This article is classified as not hazardous.

#### GHS Label Element

None required.

---

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

#### Hazardous components

Component	CAS-No.	Concentration (%)
Calcium Silicate	13983-17-0	25 - 55
Fibrous Glass	65997-17-3	1 - 10

# SAFETY DATA SHEET



## NAD11 Cement Board

Version 1

Revision Date 07/15/2024

Print Date 07/15/2024

---

### SECTION 4: FIRST AID MEASURES

- GENERAL ADVICE:** Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
- EYE CONTACT:** Flush eyes with water for at least 15 minutes. Remove contact lenses if applicable. Protect unharmed eye. Keep eye wide open while rinsing. If irritation persists, seek medical attention.
- SKIN CONTACT:** Wash off with soap and water. If skin irritation persists, call a physician.
- INGESTION:** Not a normal route of exposure. If swallowed, drink plenty of water. Induce vomiting, but only if victim is fully conscious. Consult a physician.
- INHALATION:** No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dust or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.
- NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** Treat symptomatically.
- 

### SECTION 5: FIRE-FIGHTING MEASURES

- FLAMMABLE PROPERTIES:** This product is not flammable.
- EXTINGUISHING MEDIA:** Use extinguishing measures that are appropriate to local circumstances and the surrounding fire.
- SPECIAL FIRE FIGHTING PROCEDURES:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
- HAZARDOUS DECOMPOSITION PRODUCTS:** No information available.
- 

### SECTION 6: ACCIDENTAL RELEASE MEASURES

- ACCIDENTAL RELEASE MEASURES:** Pick up and arrange disposal without creating airborne dust. Vacuum or wet sweep.
- 

### SECTION 7: HANDLING AND STORAGE

- HANDLING AND STORAGE:** Ensure adequate ventilation. Wear personal protective equipment. Avoid dust formation. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labelled containers.

# SAFETY DATA SHEET



## NAD11 Cement Board

Version 1

Revision Date 07/15/2024

Print Date 07/15/2024

---

### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

VENTILATION: Provide appropriate exhaust ventilation at places where dust is formed.

RESPIRATORY PROTECTION: Respiratory protection is not necessary for normal handling of material which does not release dust, Dust mask EN149 - P3/FFP3 or (P2/FFP2) under dusty conditions.

EYE PROTECTION: Safety glasses with side-shields.

SKIN PROTECTION: Wear protective gloves and long-sleeved clothing.

Exposure Guidelines:

Ingredient Name	CAS #	CGIH TLV	OSHA PEL
Calcium Silicate	13983-17-0	10 mg/m <sup>3</sup>	None
Fibrous Glass	65997-17-3	10 mg/m <sup>3</sup>	None

---

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Solid board, gray

ODOR: Odorless

MELTING POINT: Not determined

SOLUBILITY IN WATER: Not determined

PERCENT SOLIDS BY WEIGHT: 100% estimated

SPECIFIC GRAVITY (H<sub>2</sub>O=1): 1.74 g/cc

---

### SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable.

CONDITIONS TO AVOID (STABILITY): Avoid extreme temperatures and direct sunlight.

MATERIAL TO AVOID (INCOMPATIBILITY): Strong acids.

CONDITIONS TO AVOID (POLYMERIZATION): Will not occur.

# SAFETY DATA SHEET



## NAD11 Cement Board

Version 1

Revision Date 07/15/2024

Print Date 07/15/2024

---

### SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Ingredients of this material may cause moderate eye, skin and/ or throat irritation.

---

### SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No information available.

---

### SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose in accordance with all applicable regulations.

---

### SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT): Not regulated as a dangerous good.

GENERAL: Not regulated as a dangerous good.

---

### SECTION 15: REGULATORY INFORMATION

#### U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): All substances listed on inventory.

#### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS: No

#### STATE REGULATIONS:

Materials known to the State of California to cause cancer or reproductive toxicity: This product poses no significant risk to persons exposed during normal use as defined by the California Safe Drinking Water and Toxics Enforcement Act (Proposition 65).

#### INTERNATIONAL REGULATIONS:

As an article, the product does not need to be labeled in accordance with EC-directives or respective national laws.

This product is REACH and RoHS compliant.

# SAFETY DATA SHEET



## NAD11 Cement Board

Version 1

Revision Date 07/15/2024

Print Date 07/15/2024

---

### SECTION 16: OTHER INFORMATION

**DISCLAIMER:**

To the best of our knowledge, the information contained herein is accurate. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.